

ALRESFORD AGRICULTURAL SHOW SATURDAY 1st SEPTEMBER 2018.

1ST March 2018

Dear Exhibitor,

I have pleasure in enclosing an application form for a trade/craft/produce exhibitor pitch. A copy of the Rules and Regulations has been posted on the website (please read) before completing this form. We cannot be responsible for any problems that may arise from failure to observe these regulations and reserve the right to refuse admission if there are any issues which concern us.

Exhibitor pitches are allocated to show a wide variety of products and services to the public, preference is given to those relating to agriculture. All unsuccessful applicants will be notified shortly after 1st June and any fee returned.

Please keep a copy as a record of your booking and as a receipt of payment. No other receipt will be issued.

Copies of the Showground map and of the Rules and Regulations are available to download from our website. www.alresfordshow.co.uk. The Showground layout is subject to further revision and later versions will be posted.

Please note that all trade stand vehicles must be removed from the Showground by 9am on Show day and parked in the free car park indicated on the map. If you need a vehicle near your stand for stock etc. you will need to apply for sufficient space to accommodate your vehicle within your stand (as per Trade Stand Regulations).

We have a policy of **no vehicle movements on the showground after 10am** therefore deliveries after that time must go to the public car park and be collected from there by exhibitors.

Due to the weight of traffic causing delays at the gates early on Show day we encourage all trade exhibitors to come in and set up on Thursday and Friday; craft and produce exhibitors may set up on Friday and use the RED gate for access.

We look forward to welcoming you to this year's Show. If you have any queries, please let me know.

Yours sincerely

Hazel Flindt

Trade Stand Secretary (email: heflindt@aol.com)

Secretary: Val Watley, P.O. Box 146, Alresford, Hampshire, SO24 4AJ Tel: 01962 73874 email: secretary@alresfordshow.co.uk

Trade Stand Secretary: Hazel Flindt, Manor Farm, Hinton Ampner, Alresford, SO24 0LE Tel: 01962 771201 email heflindt@aol.com

 $The Society is a {\it charity which exists to improve agriculture for the public benefit \ and education}$

Alresford & District Agricultural Society Ltd Registered No. 02231722 Registered Charity No. 298980

Registered office: Grange Farm, Tichborne, Alresford, Hampshire, SO24 0NE

Registered in England & Wales

ALRESFORD & DISTRICT AGRICULTURAL SOCIETY ANNUAL SHOW

Trade, Craft & Produce Stand Application Booking SATURDAY 1st SEPTEMBER 2018

CLOSING DATE FOR APPLICATIONS - JUNE 1st, 2018. Please refer to regulations.

Exhibitor Name			
Address			
Postcode C	ontact Name		
Telephone E	mail		
Mobile Phone V	/ebsite		
Programme description of stand, max 15 words.			
DESCRIPTION	RATE	BOOKING	COST
TRADE STAND SPACE NB: minimum 4 metre frontage	e increasing in 1 metre increme	ents – all depths are fix T	ed at 9metres
Trade stand (Min £130)	£32.50 / metre frontage		
Charity stand (Min £98)	£24.50 / metre frontage		
Tented Open Fronted Pitch 3m x 3m	£160		
TENTS FOR HIRE: Tubular tent 3.66m depth. Other s	izes and depths are also availal	ble, please contact for c	details.
3m width@£270; 6m width@£330; 9m width@£420			
CRAFT MARQUEE SPACE			
Inside craft marquee 3m x 3m pitch	£110 / pitch		
Shedding outside craft/horti marquees 3m x 3m pitch	£120 / pitch		
PRODUCE TENT SPACE			
3m x 4m (approx.) pitch – produce to take home	£155 / pitch		
3m x 4m (approx.) pitch – produce to eat at the show TICKETS AND EXTRAS	£200 / pitch		
Additional Tickets @ £2 discount Adult	£13		
Senior Citizen	£11		
Child 11-16 years	£5		
Chairs – plastic folding	£4.50 each		
Tables – rectangular 6ft trestle	£10.50 each		
Electricity - limited availability, please state loading	£50/plug		
We will be bringing a generator / LPG	Yes/No	Total = £	

ALRESFORD & DISTRICT AGRICULTURAL SOCIETY ANNUAL SHOW

Trade, Craft & Produce Stand Application Payment SATURDAY 1st SEPTEMBER 2018

A company Limited by Guarantee Registered in England No. 2231722 Reg. Charity No. 298980 Not registered for VAT.

Exhibitor Name				
Total Payment Due	£			
<u> </u>		cation will not be confirmed	until full payment has be	en received.
		Payment by CHEQUI	E	
Please make	cheques payab	le to "Alresford and District A completed Application F	_	eturn with your
		Payment by BACS		
	Please co	ntact the Trade Stand Secreta Email <u>heflindt@aol.cc</u>	•	
		Payment by DEBIT/CREDIT	ΓCARD	
Card Type:	MasterCard	Visa Credit	Switch/Maestro	Visa Debit
Card Number				
Expiry Date		Security Code (3 digits)	Issue Number	
Name on Card Registered Post	Code	House	e Number	

After completion, please retain a copy as a receipt and send your application to:
Mrs. H Flindt, Manor Farm, Hinton Ampner, Alresford. SO24 0LE

Email heflindt@aol.com Tel: 01962 771201

ALRESFORD & DISTRICT AGRICULTURAL SOCIETY ANNUAL SHOW

Exhibitor Risk Assessments/Insurance Details

Please complete all sections of this application form and return to the Trade Stand Secretary with your payment.

PLEASE USE BLOCK CAPITALS

			ENSE OSE BEOCK CALLITATES	
Name:				
Company Name:				
Address:				
Responsible Person:				
Date of Assessment:				
Signature of Assessor:				
		Ge	neral Risk Assessment	
Identified Hazard	Perso	ns at Risk	Controls in Place	Additional Controls Required
			blic Liability insurance cover. A	
must accompany your appi	ication, if t	nis is outdate	ed by 1/9/2018 then a renewal Insurance	copy must also be forwarded.
Insurer Name and Informates Public Liability Status	ation of	Amo	unt covered	Policy Term – start and end dates
<u> </u>				
		<u> </u>		
If you wis	h to take u		. Cancellation & Abandonn lease complete the form and re	nent Insurance turn it to the Secretary by 1st June 2018.
Name and address of Exl			of the Policy Wording is available Estimated irrecoverable	le on request.
Tame and dual cos of Ext				ver, where the sum insured represents
			irrecoverable expenses.	
			Sum Insured X 3% + 12%	b(insurance tax) = £
We hereby apply for	stand/spa	ace and agre	ee to abide by the Rules & Re	egulations of the Society.
Signed:			Date:	

Alresford & District Agricultural Society Ltd. CFOA Fire Risk Assessment

TO BE COMPLETED FOR EACH UNIT/STALL IN LINE WITH NATIONALLY RECOGNISED FIRE RISK ASSESSMENT GUIDES

To comply with relevant fire safety legislation, you MUST complete a Fire Risk Assessment of your unit.

The Risk Assessment needs to identify the fire hazards and persons at risk, you must endeavour to remove or reduce these risks and protect people from fire. Failure to comply with this requirement may result in your unit being prohibited from use. You must be able to answer YES to the following questions. This signed and completed form must be maintained available for inspection by the

Fire & Rescue Service / Event Organiser / Council Officers at all times.

You must undertake a Fire Risk Assessment for each unit, which must be suitable for the circumstances. You do not need to use this form and may use another method if you wish, however, this form is considered to be suitable for most market stalls and traders units.

EVENT	Alresfor	d Agricultural	Show				
UNIT NAME &							
LOCATION							
,	-						
DATE/TIME	START	1/9/201	8 - 9.00 am		FINISH	1/9/2018 - 6	5.00 pm
			<u> </u>				
UNIT DETAILS	PERSON	IN CHARGE					
	TYPE AND U	SE OF UNIT					
	0:== /:	.,					
	SIZE (M2	2)			T 1		
	MAXIMUM		STAFF				
	OCCUPANC	/	PUBLI	C		TOTAL	
						ACTION/COMMEN	IT
1. Are adequate exits pr		umbers of					
persons within the unit or st			YES	NO			
(Are your staff and custo if the normal exit is blocked?		acuate easily					
2. Where necessary, are	•	directional					
signs indicating the appropri			YES	NO			
comply with current regulati		- · · · · · · · · · · · · · · · · · · ·	. =0				
3 Are the exits maintain	ed available, un	obstructed,	VEC	NO			
and unlocked at all times the	e premises are in	ı use.	YES	NO			
4. If the normal lighting	failed would the	occupants be					
able to make a safe exit?			YES	NO			
(Consider back up lightir		r·					
Do you have an adequextinguishers/fire blankets a			YES	NO			
positions and easily available	-	iiiieiit	11.5	110			
6. Has the fire-fighting e		tested within					
the last 12 months?			YES	NO			
Note: a certificate of cor	mpliance will no	rmally be	11.5	110			
required							
7. Have your staff been		w to operate	YES	NO			
the fire-fighting equipment p	provided?						
8. Have your staff been							
should an incident occur, ho		arm, evacuate	YES	NO			
the unit, and the exit locatio	ns?						

9. Have you identified combustible materials that			
could promote fire spread beyond the point of ignition	YES	NO	
such as paper/cardboard, bottled LPG etc. and reduced	ILS	NO	
the risk of them being involved in an incident?			
10. Have you identified all ignition sources and			
ensured that they are kept away from all flammable	YES	NO	
	11.5	NO	
materials?			
11. Are the structure, roofing, walls and fittings of			
your stall or unit flame retardant?	YES	NO	
Note: certificates of compliance will normally be	163	NO	
required			
12. If any staff sleep in the stall is there a working			
smoke detector and a clear exit route at night? Note:	YES	NO	
Persons should not be allowed to sleep within a high risk	N/A		
area and some Authorities and events do NOT allow any	IV/A		
sleeping within units.			
13. Are you aware that you must not stock or sell			
certain items, i.e. fireworks, garden flares, household	YES	NO	
_	11.5	NO	
candles, tea lights, etc.?			
14. Do you have sufficient bins for refuse? Is all refuse	YES	NO	
kept away from your unit?	TES	NO	
15. Are you aware that petrol generators are not	YES	NO	
permitted on site?			
			ACTION/COMMENT
			ACTION/COMMENT
Do You use LPG? (If 'No' ignore questions 16-25)	YES	NO	
16. Do you have an inspection / gas safety certificate			
16. Do you have an inspection / gas safety certificate for the appliances and pinework (copy to be gygilable for			
for the appliances and pipework (copy to be available for	YES	NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with		NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings?		NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the	YES	NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings?		NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the	YES		
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public?	YES		
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-	YES	NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by	YES		
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides?	YES	NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by	YES YES	NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides?	YES	NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas?	YES YES	NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable	YES YES YES	NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas?	YES YES	NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency?	YES YES YES	NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at	YES YES YES YES	NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus	YES YES YES	NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use?	YES YES YES YES	NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are	YES YES YES YES	NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are kept at your unit/stall? (Spares should be kept to a	YES YES YES YES YES	NO NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are	YES YES YES YES	NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are kept at your unit/stall? (Spares should be kept to a	YES YES YES YES YES	NO NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are kept at your unit/stall? (Spares should be kept to a minimum and in line with any specific conditions for the event)	YES YES YES YES YES	NO NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are kept at your unit/stall? (Spares should be kept to a minimum and in line with any specific conditions for the event) 25. Is a member of staff, appropriately trained in the	YES YES YES YES YES	NO NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are kept at your unit/stall? (Spares should be kept to a minimum and in line with any specific conditions for the event) 25. Is a member of staff, appropriately trained in the safe use of LPG, present in the	YES YES YES YES YES	NO NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are kept at your unit/stall? (Spares should be kept to a minimum and in line with any specific conditions for the event) 25. Is a member of staff, appropriately trained in the	YES YES YES YES YES	NO NO NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm noncombustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are kept at your unit/stall? (Spares should be kept to a minimum and in line with any specific conditions for the event) 25. Is a member of staff, appropriately trained in the safe use of LPG, present in the	YES YES YES YES YES	NO NO NO NO NO	
for the appliances and pipework (copy to be available for inspection) and are all hose connections made with "crimped" fastenings? 17. Are the cylinders kept outside, secured in the upright position and out of the reach of the general public? 18. Are appliances fixed securely on a firm non-combustible heat insulating base and surrounded by shields of similar material on three sides? 19. Are the cylinders located away from entrances, emergency exits and circulation areas? 20. Are the gas cylinders readily accessible to enable easy isolation in case of an emergency? 21. Do you ensure that all gas supplies are isolated at the cylinder, as well as the appliance when the apparatus is not in use? 24. Do you ensure that only those cylinders in use are kept at your unit/stall? (Spares should be kept to a minimum and in line with any specific conditions for the event) 25. Is a member of staff, appropriately trained in the safe use of LPG, present in the	YES YES YES YES YES	NO NO NO NO NO	

		Contin	ue on separate sheet if ned
		Contin	ue on separate sheet if ned
esponsible Person:	Circohama		
esponsible Person:	Signature	Continu Print Name	ue on separate sheet if ned
	Signature		
	Signature		
esponsible Person: esignation:	Signature		
esignation:	Signature		
	Signature		

Fire Risk Assessment Guidance for Open Air Events and Venues. www.gov.uk/government/uploads/system/uploads/attachment_data/file/14891/fsra-open-air.pdf

Guidance on Temporary Structures, Large Tents and Marquees.

www.muta.org.uk/MUTAMembers/media/MUTAMembersMedia/PDFs/MUTA-s-Best-Practice-Guide,-November-2014.pdf

Code of Practice 24: Part 4 - Use of LPG Cylinders: The Use of LPG for Catering at Outdoor Functions (March 1999)

 $\underline{www.uklpg.org/shop/codes-of-practice/use-of-lpg-cylinders-the-use-of-lpg-for-catering-at-outdoor-functions-march-1999/$